ACCESSION NR: AP5005364

5/0109/65/010/002/0387/0388

THOR: Goryunova, O F.; Zakhvatayeva, O. I.; Kontsevoy, Yu. A.

The Effect of magnetic field on current-voltage characteristics of p*-p-p*

a rultires

SCORTE: Radiotekhnika i elektronika, v. 10, no. 2, 1965. 387-388

TOPIC TAGS: semiconductor device, current voltage characteristic

ABSTRACT: A Ge plate with a resistivity of 10-30 chm-cm and two ohmic that is (see Enclosure 1) was tested in parallel and perpenditular magnetic to 14,300 oe. The voltage V_1 increased when the magnetic field was arrest that let to the plate, and remained unchanged with the perpendicular field. The relation of this phenomenon is offered. Orig. art. has: 2 figures and

rar le

Appar IATION: none

SUB MITTED: 31Jan64


ENCL: 01

SUB CODE: EC

NO REF SOV: 001

OTHER: 003

Card 1/2



 \angle 21237-66 EWT(1)/EWT(m)/T/EWP(t) IJP(c) JD

ACC NR: AP6003815

SOURCE CODE: UR/0181/66/008/001/0278/0280

AUTHORS: Kontsevoy, Yu. A.; Malyshev, M. I.

ORG: none

TITLE: Electrophysical properties of thin samples of silicon

SOURCE: Fizika tverdogo tela, v. 8, no. 1, 1966, 278-280

TOPIC TAGS: silicon, epitaxial growing, single crystal, carrier density, hole mobility, temperature dependence

ABSTRACT: The purpose of the investigation was to determine the degree to which the properties of epitaxial films separated from a substrate, and also single-crystal films grown on extraneous substrates, are governed by the properties of the surface. The authors investigated for this purpose the concentration and mobility of the carriers in thin samples of p-type silicon with resistivity $\sim 150/$ ohm-cm at room temperature, prepared from bulky single crystals. The thicknesses of the different samples range from 400 to $6~\mu$. Unlike earlier investigations, the measurements were made in a wide range of

Card 1/2

KONTSIBER, V.

453

Na Stepnikh prostorakh. (Psernovskaya MTS Chkal. Ob. Zapisal i lit. obrabotal Ya. A. Levant. m) Profisdat, 1954. 54c. 17 sm. (Raskasy Novatdrov). 15,000 Eks.65K. (54-55197) P 631.37:629.114.2 st (47.82)

SO: Knishanaya, Letopis, Vol. 1, 1955

KONTSKIY, Faddey Martynovich, zasl. vrach Mariyskov ASSR; DENISOVA, S.A., red.

[Physician and the patient; principles of medical service and the basic elements of medical ethics] Vrach i bol'noi; kul'tura meditsinskogo obsluzhivaniia i osnovnye elementy vrachebnoi etiki. Izd.4. Ioshkar-Ola, Mariiskoe knizhnoe izd-vo, 1964. 108 p. (MIRA 17:8)

KONTSKIY, Faddey Martynovich

[Physician and patient; development of medical service and basic elements of medical ethics] Vrach i bol'noi; kul'tura meditainakogo obsluzhivaniia i osnovnye elementy vrachebnoi etiki. Izd.3. Iosh-kar-Olam Mariiskoe knizhnoe izd-vo. 1959. 105 p. (MIRA 13:4) (PHYSICIAN AND PATIENT)

KONTSOV, ALEKSANDR GRIGOR'EYVICH KURNEY, Yevgeniy Stepanovich: KOMTSOV, Aleksanda Grigor'syvich; SMIRNOV, K.K., otvetstvennyy redaktor; USHAKOV, K.Z., otvetstvennyy redaktor; GRISHAYEHKO, M.I., redaktor isdatel'stva; SABITOV, A., tekhnicheskiy redaktor [Ventilation of mines in the Kusnetsk Basin] Provetrivanie shakht Kusbassa. Moskva, Ugletekhizdat, 1957. 173 p. (MLRA 10:9) (Kusnetsk Besin--Mine ventilation)

KONTSOV, A.G., kand. tekhn. nauk

Determination of an effective mine ventilation system. Vop. bezop. v ugol'. shakh. 1:167-184 '59. (MIRA 17:12)

PROKHOROV, I.N., inzh.; BERSON, L.M., inzh.; KONTSOV, A.I., inzh.

Modernization of a welding ballast rheostat. Svar. proizv. no.ll;
37-38 N '60. (MIRA 13:10)

(Electric welding--Equipment and supplies)

S/135/62/000/006/01**3/014** A006/A106

AUTHORS:

Vaks, I. A., Berson, L. M., Kontsov, A. I., Engineers

TITLE:

Exchangeable cantilevers for MTNT (MTPT)-type spot welding

machines

PERIODICAL: Svarochnoye proizvodstvo, no. 6, 1962, 37 - 38

To eliminate deficiencies occurring in the use of conventional tenss for welding light alloys, such as labor-consuming operation, overneating of centacts, poor quality of welds, the authors have developed a new design of tongs for welding light and copper alloys, 0.8 - 1.5 mm thick. The tongs consist of two B95 AT (V95AT) arms. The electrodes are fixed in holders and are water-cooled. The maximum operational path of the upper electrode is 200 mm. In one minute 20 spot-welds can be produced. The tongs can be easily mounted on MTTPT and MTTPT type welders. Conditions for spot welding D19AT are given below. There are 2 figures and 1 table.

Card 1/2

VAKS, I.A., inzh.; BERSON, L.M., inzh.; KONTSOV, A.I., inzh.

Changeable brackets for MTPT-type spot welding machines.

Svar. proizv. no.6:37-38 Je '62. (MIRA 15:6)

(Electric welding-Equipment and supplies)

VAKS, I.A., inzh.; BERSON, L.M., inzh.; KONTSOV, A.I., inzh.

Electric furnace for making AM-T type fluxes. Svar. proizv. nc.8:

(MIRA 15:11)
28 Ag '62.

(Flux (Metallurgy)) (Electric furnaces)

VAKS, I.A., inzh.; BERSON, L.M., inzh.; KONTSOV, A.I., inch.

Modernized oscillator with regulated power output. Svar.proizv.
no.11:38-39 N '62.

(Oscillators, Klectric)

KOMPUASHVILI, B. Ya.

Kontuashvili, B. Ya. - "The State of Lymphadenoidal Tissue and of the Nervous Elements in the Enaryngeal Tonsils in Cases of Adenoidal Growths." Pashkent State Medical Inst imeni V. M. Molotov. Tashkent, 1956 (Dissertation for the Degree of Candidate in Medical Sciences).

So: Knizhnaya Letopis', No. 10, 1956, pp 116-127

KONTUASHVILI, B.Ya., kand. med. namk; SATTROVA, R.A., ordinator

Novocaine therapy in poisonings with distilled vinegar. Med. zhur. Uzb. no.6:61-62 Je'63 (MIRA 17:3)

1. Iz Tashkentskoy gorodskoy klinicheskoy bol'nitsy No.15 (nauchnyy rukovodital' - prof. R.A. Abdullayev).

MUMINOV, Ya.K.; KOHTUASHVILI, B.Ya., red.; HAUMOV, A.A., tekhnred.

[On the history of health resort treatment in Central Asia] U istokov kurortnogo lecheniia v Srednei Asii. Tashkent, Gos.med. isd-vo M-va sdravookhraneniia UsSSR, 1960. 30 p.

(SOVIET CENTRAL ASIA--HEALTH RESCRETS, WATERING PLACES, ETC.)

INGAMDZHANOV, N.I.; KONTUASHVILI, B.Ya., red.; OSIPENKO, V., tekhn. red.


[Practical manual on needle therapy] Prakticheskoe rukovodstvo po igloterapii. Tashkent, Gos. med. izd-vo M-va zdravookhraneniia UzSSR, 1960. 138 p. (MIRA 14:7)


(ACUPUNCTURE)

Basic argyrophil substance in hypertrophy of the nasopharyngeal tonsils. Med. zhur. Uzb. no.5:80-81 by '60. (MIRA 15:3)

1. Iz oblastnoy polikliniki (glavnyy vrach - M.M. Mansurova)
Tashkentskogo oblastnogo otdela zdravookhraneniya.

(ADENOIDS)






VAGAS, Istvan; SZABO, Laszle, dr.; KONTUR, Gyorgy; IVICSICS, Lajos, dr.; OLLOS, Geza

Society and technical news. Hidrologiai kezlony 43 nc.2:98,112,118, 121, 129, 164, 184 Ap '63.


1. "Hidrologiai Kozlony" szerkeszto bizettsagi tagja (for Ivicsics and Vagas). 2. "Hidrologiai Kozlony" foszerkesztoje (for Ollos).





VAGAS, Istvan; KONTUR, Gyorgy; IVICSICS, Ferenc; BAUER, Jeno; LOVAS, Laszlo


Society and technical news. Hidrologiai kozlony 43 no.3:197, 204, 218, 224, 228, 236, 250, 265 Je '63.

1. "Hidrologiai Kozlony" szerkeszto bizottsagi tagja es rovatvezetoje (for Vagas).









KONTUREK, S. KAULBERSZ, J.; KONTUREK. S. Comparative studies on enterogastrone from various segments of the intestines. Acta physicl. polon. 8 no.3:373-375 1957. 1. Z Zakladu Fizjologii A. M w Krakowie. Kierownik: prof. dr J. Kaulbersz. (ENTERGASTRONE, effects, comparison of prep. from intestinal segments. (Pol))

```
Montures, St.

Effect of hypophysectomy, ACTH and cortisons on experimental peptic ulcer produced by Shay's method. Acta physiol. polon. 10 no.1:21-26 Jan-Feb 59.

1. Z Zakladu Fisjologii A.M. w Krakowie Kierownik: prof. dr J. Kaulberss. (HYPOPHYSECTOMY, eff.
on exper. peptic ulcer (Pol))

(ACTH, eff.
same)

(CORTISONS, eff.
same)

(PEPTIC ULTER, exper.
eff. of ACTH, cortisons & hypophysectomy (Pol))
```

KONTUREK, Stanislaw (Krakow, ul. Grzegorzecka 16, Zaklad Fizjologii A.M.)

Blood levels of histamine in different stages of hypertension. Polski tygod. lek. 14 no.19:854-855 11 May 59.

1..Z I Kliniki Chorob Wewnetrsnych A. M. w Krakowie; kierownik: prof. dr L. Tochowics i z Zakladu Fizjologii A. M. w Krakowie; kierownik: prof. dr J. Kaulbers.

(HYPERTENSION, blood in histamine levels in various stages (Pol)) (HISTAMINE, in blood

in hypertension, variations in different stages (Pol))

KAULBERSZ, J.; KONTUREK. St.

Comparative studies on enterogastrone originating in various segments of the intestine in dogs. Acta physiol.polon.ll no.5/6: 767-768 '60.

1. Z Zakladu Fizjologii A.M. w Krakowie, Kierownik: prof.dr. J. Kaulberez.

(GASTROINTESTINAL HORMONES pharmacol)

Effect of urogastrone on gastric secretion in adrenal ectomised dogs. Acta physiol.polon. 11 no.5/6:780-781 '60.

1. Z Zakladu Fizjologii A.M. w Krakowie, Kierownik: prof.dr J. Kaulbersz.

(GASTROINTESTINAL HORMONES pharmacol)
(GASTRIC JUICE)
(ADRENALECTOMI exper)

NOWAK, S.; KONTUREK, S.; KAULBERSZ, J.

Comparative studies on male and female urogastrone in dogs. Acta physiol.polon. 11 no.5/6:852-853 '60.

1. Z Zakladu Fisjologii A.M. w Krakowie. Kierownik: prof.dr J.Kaulberss.

(GASTROINTESTINAL HORMONES)

KONTUREK, Stanislaw; HORZELA, Tadeusz

Effect of reserpine on gastric function. Polski tygod. lek. 16 no.46:1761-1764 13 N '61.

1. Z I Kliniki Chorob Wewnetrznych A.M. w Krakowie; kierownik: prof. dr Leon Tochowicz).

(RESERPINE pharmacol) (GASTRIC JUICE)

HORZELA, Tadeusz; SZYBINSKI, Zbigniew; KONTUREK, Stanislaw

Absorption of amino acids from the digestive system following the administration of albumin labeled with I-131. Acta physiol. Pol. 13 no.1:149-155 '62.

1. Z I Kliniki Chorob Wewnetrznych A.M. w Krakowie Kierownik: prof. dr L. Tochowicz Z Zakladu Fizjologii A.M. w Krakowie Kierownik: prof. dr J. Kaulbersz.

(AMINO ACIDS metab)
(GASTROINTESTINAL SYSTEM physiol)
(ALBUMINS pharmacol)
(IODINE radioactive)

HORZELA, Tadeusz; SZYPINSKI, Zbigniew; KONTUREK, Stanislaw

Absorption of olive oil labeled with I-131 from the digestive system. Acta physiol. polon. 13 no.3:369-375 '62.

- 1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie Kierownik: prof. dr
- L. Tochowicz z Zakladu Fizjologii AM w Krakowie Kierownik: prof. dr
- J. Kaulbersz.

(OILS metab) (IODINE radioactive) (GASTROINTESTINAL SYSTEM physiol)

KAULBERSZ, Jerzy; KONTUREK, Stanislaw

Comparative studies on enterogastrone originating from various segments of the intestine. Acta physiol. polon. 13 no.4:549-

1. Z Zakladu Fizjologii AM w Krakowie Kierownik: prof. dr. J. Kaulbersz. (GASTROINTESTINAL HORMONES) (GASTRIC JUICE)

CHOLEWA, Leon; KONTUREK, Stanislaw

Tetracycline fluorescence in the diagnosis of malignant neoplasms. Pol. tyg. lek. 17 no.49:1897-1900 3 D '62.

1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie; kierownik: prof. dr Leon Tochowics.

(NEOPLASMS) (TETRACYCLINE) (FLUORESCENCE)

RADECKI, T.; KONTUREK, S.; KAULBERSZ, J.

Effect of thyroidectomy, adrenalectomy and castration on the appearance of gastric ulcer and on gastric secretion in the rat. Acta physiol. pol. 14 no.1:29-25 '63.

1. Z Zakladu Fizjologii AM w Krakowie p.c. Kierownika: doc. dr W. Wcielo.

(THYROIDECTOMY) (ADRENALECTOMY) (CASTRATION) (GASTRIC JUICE) (STOMACH ULCER) (PYLORUS)

HORZELA, Tadeuss; KONTUREK, Stemislaw Diagnostic difficulties in hyperthyroidism associated with adrenal insufficiency. Endokr. pol. 14 no.1:125-130 '63. 1. I Klinika Chorob Wewnetrsnych A. M. w Krakowie Kierownik: prof. dr L. Tochowicz. (HYPERTHROIDISM) (ADRENAL CORTEX HYPOFUNCTION) (IODINE ISOTOPES, DIAGNOSTIC) (DIAGNOSIS)

KONTUREK, Stanislay; RADECKI, Tadeusz; SZYBINSKI, Zbigniew; HORZELA, Tadeusz

Effect of the pulmonary circulation on the fat content of the blood. Acta physicl. pol. 14 no.3:273-279 163.

1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie Kierownik: prof. dr L. Tochowicz.

(BLOOD LIPIDS) (PULMONARY CIRCULATION)

(IODINE ISOTOPES)

KONTUREK, Stanislaw; RADECKI, Tadeusz; SZYBINSKI, Zbigniew; HORZELA, Tadeusz.

Transport of fats through the thoracic duct. Acta physicl. pol. 14 no.5:571-576 **S-0***63

1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie; kierownik: prof.dr. L. Tochowicz.

Elet and hypertension in the development of arteriocolometer.

101. tyg. lek. 19 no.8:281-280 17 f 16%.

1. 7 l Kliniki Chorob Wesnetranych Akadomii Nodycznej w Krafowie (Kiorosnik: prof. dr. Lean Techosten).

AUKERIA, Birbertari, RaceEki, Tadeunz

Fffence of largactil and phenergan on gastric secretion and developments of experimental peptic ulcer. Pol. tyg. lek. 19 no.8:291-295 17 F 161.

1. F. Alimiki Chorob Wewnetrznych Akademii Medycznej w Krakowie (klere mik: prof. dr. L. Tochowicz) i z Zakladu Fizjologii Akademii Deleganej (p.o. kierownika: doc. dr. W. Weisle).

KCHTCHEN, Stanislaw

Gastric function disorders in Sheehan's syndrome patients and in hypophysectomized rats. Pol. tyg. lek. 19 no.13:459-462 23 Mr 164.

1. Z I Kliniki Chorob Wewnetrznych Akademii Medycznej w Krakowie (kierownik:prof. dr. Ieon Tochowicz).

KONTUREK, Stanislaw

Progress in the treatment of poptic ulcer. Pol. tyg. lek. 19 no.18:657-658 27 Ap 164.

1. Z I Kliniki Chorob Wewnetrznych Akademii Medycanej w Krakowie (kierownik: prof. dr. Leon Tochowicz).

RONNIBLE, Stanislaw; KEGE, Whanysing

A new experimental method for the production of myochadial infarct. Pol. tyg. lek. 19 no.18:659-663 27 Ap *6A.

1. Z 1 Kliniki Chorob Mesmetrznych Akademii Medyernej v Krakowie (kierownik: prof. dr. Jeon Tochowicz).

KONTUREK, Stanislaw; RADECKI, Tadeusz; HORZELA, Tadeusz

Effect of gastric cooling on the course of ulcerous disease in humans and on the development of peptic ulcer in animals. Pol. tyg. lek. 19 no.23:858 - 860 1 Je.64

1. Z I Kliniki Chorob Wewnetrznych Akademii Medycznej w Krakowie; kierownik: prof. dr. Leon Tochowicz.

SZYBINSKI, Zbigniew; KONTUREK, Stanislaw; RADECKI, Tadeusz; HORZELA, Tadeusz.

Kinetics of limph lipoproteins labeled with I-131 from the blood in dogs. Acta physiol. Pol. 15 no.4:529-534 Jl-Ag *64

1. Z I Kliniki Chorob Wewnetrznych Akademii Nedycznej w Krakowie (Kierownik: prof. dr. L. Tochowicz).

KONTUREK, Stanislaw; HORZELA, Tadeusz; SZYBINSKI, Zbigniew

The effect of adrenals on the absorption and distribution of fats in tissues. Endokr. Pol. 16 no.2:183-188 Mr-Ap'65.

1. I Klinika Chorob Wewnetrznych Akademii Medycznej w Krakowie (Kierownik: prof. dr. L. Tochowicz).

KONTUREK, Stanislaw; CHOLEMA, Leon; OLEKSY, Wlodzimierz

Tetracycline test in gastric carcinoma. Nowotwory 15 no.1: 17-22 Ja-Mr 65.

1. Z I Kliniki Chorob Wewnetrznych Akademii Medycznej w Krakowie (Kierownik: prof. dr. med. L. Tochowicz) i z Instytutu Onkologii w Krakowie (Dyrektor: prof. dr. med. H. Kolodziejska).


SZYBINSKI, Z.; HORZELA, T.; PASYK, S.; KONTUREK, S.


Application of the quantitative radiocardiography in hemodynamic studies. Kardiol. Pol. 8 no.3:251-255 '65.


1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie (Kierownik: prof. dr. L. Tochowicz).

Epitheliomas occurring i the nourse of tuberculous lupus.
Przegl. derm. 51 no.5:553-558 Section.

1. 2 Kliniki Dermatologicznej Akademii Menyozuej w Krakowie (Kierownika prof. dr. K. fejman).







KONTUSH, K.V., insh.

Small D-483 chain-bucket excavator. Stroi. i dor. machinostr. 5 no.10:
(MIRA 13:10)

(Excavating machinery)

KONTUSH, K.V., inzh.; SHCHERBAK, V.V., inzh.

New machines for the maintenance and repair of roads. Stroi.
i dor. mash. 10 no.3:29-31 Mr '65.

(MIRA 18:5)

EWT(1) RO

L 10790-67

SOURCE CODE: UR/0069/66/028/004/0515/051 ACC NR: AP7003497 AUTHOR: Kontush, S. M.; Fedoseyev, V. A. ORG: Odessa University im. I. I. Mechnikov (Odesskiy universitet) TITLE: Flow method of measuring the dispersity of hygroscopic smokes. Experimental device for measuring the dispersity of hygroscopic smokes SOURCE: Kolloidnyy zhurnal, v. 28, no. 4, 1966, 515-519 TOPIC TAGS: aerosol, photoelectric cell An earlier article by one of the authors (S. M. KONTUSH) ABSTRACT: All carries at the second and the jet method of measuring the considered the theoretical principles of the jet method of measuring the dispersity of hygroscopic smokes, based on the isokinetic injection of the aerosollointo a stream of pure air saturated with water vapor and recording of the vertical distribution of the grown particles in a certain section of the stream. The present article describes an experimental device which was designed by the authors on the basis of these principles. The principal part of the device is a cuvette in which the growth of drops on the smoke particles takes place. The cuvette has double walls for thornostatic control of the airflow. A thin jet of air containing the particles under UDC: 541.182.026.3 002

L 10790-67

ACC NR: AP7003497

study is fed into the main stream through a flat plexiglass nozzle situated in the center of the cuvette. Measurement of the vertical displacement of the grown particles and their vertical distribution is done by ultramicrotopy. A photoelectric particle counter is used to measure the speed of motion of the aerosol particles (or the speed of flow of the air containing the particles).

An example is given of the measurement of the dispersed composition of hygroscopic NII_LC1 smoke obtained by sublimation. An attempt was made to describe the particle size distribution by means of a gamma distribution according to the method described by L. M. LEVIN. The results can be satisfactorily described by a logarithmically normal distribution.

The authors conclude that their device permits rapid and sufficiently accurate investigation of the dispersed composition of hygroscopic smokes. Corresponding Member of the Academy of Sciences USSR B. V. DERYAGIN. Candidate of Physicomathematical Sciences S. S. DUKHIN and Docent D. I. POLISHCHUK collaborated. Orig. art. has: 3 figures. /JPRS: 38,967/

SUB CODE: 13,09 / SUBM DATE: 28May65 / ORIG REF: 006

Card 2/2 11

L 63831-65 EVT(1)/EVT(m)/EPF(c)/FCC/EPA(w)-2/T DS/VV/GY

ACCESSION NR: AP5020224

UR/0069/65/027/004/0534/0539 541.182.3

AUTHOR: Kontush, S. M.

TITLE: Flow method of measuring the dispersity of hygroscopic smokes. 1. Theory

of the precipitation of growing aerosol particles from a laminar stream

SOURCE: Kelloidnyy zhurnal, v. 27, no. 4, 1965, 534-539

TOPIC TACS: aerosol, particle stream, particle trajectory, particle spectrum, particle beam, particle distribution

ABSTRACT: A theory of the precipitation of growing aerosol particles from a stream introduced isokinetically into a laminar flow of air saturated with water vapor is developed. The theory is based on a combination of Maxwell's equation of droplet growth, Raoult's Law, Kelvin's equation, B. V. Deryagin, S. S. Dukhin, M. L. Mikhel'son, and B. M. Koganer, (Sb. Bor'ba's silikozom, t. 2, 1955), and Stokes' equation. The combination yields the system of equations

Card 1/4

L 63831-65

ACCESSION NR: AF5020224

$$\begin{cases} \Gamma \frac{dr}{dx} = p_0(T) \frac{A}{v} \left[(r, r_0) \left(1 + \Gamma + \frac{B}{r} \right)^{-1}, \\ \Gamma \frac{dr}{dz} = p_0(T) \frac{A}{\gamma r^2} \left[(r, r_0) \left(1 + \Gamma + \frac{B}{r} \right)^{-1}, \\ A \equiv D\mu_1/\rho_1 RT \end{cases}$$

where r is the radius of the particle, t the time, v- the horizontal velocity of the particle, x and z the horizontal and vertical displacement of the particle, D the coefficient of diffusion, \mathcal{M}_1 , and \mathcal{M}_2 the molecular weight of water and

the particle respectively, and $B_1f(r,r_0)$ and Γ are given by

$$\frac{D}{va} + \Gamma \frac{\lambda}{\beta m} \equiv B.$$


$$\Gamma = \frac{L^2 D \mu_1^2}{2\lambda R T^2} \cdot p_0 (T).$$

$$f(r,r_0) = \left(h \frac{p_1 \mu_2}{p_4 \mu_1} \cdot \frac{r_0^4}{r^4} - \frac{1.00 \cdot 10^{-4}}{r} \right).$$

$$0 < f(r,r_0) < 1,$$

Card 2/4

ACCESSION NR: AP5020224	
respectively. The numerical integration of the above equations is shown graphically in Fig. 1 on the Enclosure. An experimental test is proposed for the theory, based on the use of the apparatus developed by A. I. Storozhilova (Sb. Issledovaniya v oblasti poverkhnostnykh sil, M., Izdvo AN SSSR, 1961, str. 209). The author thanks corresponding member of the AN SSSR B. V. Deryagin, Professor V. A. Fedoseyev, and Docent D. I. Polishchuk for helpful discussions, and to candidate of physical materials sciences S. S. Dukhin for his help in developing the theoretical approach to the problem. Orig. art. has: 2 graphs and 25 equations.	
ASSOCIATION: Odesskiy universitet im. I. I. Machnikova (Odessa University)	_
SUBMITTED: OLJun64 ENGL: OL SUB CODE: NP, ME	
NO REF SOV: 007	
Card 3/4	



FEDOSEYEV, V.A.; KONTUSH, S.M.

Fractionation of powders by sedimentation in a laminar flow. Koll. zhur. 27 no.6:899-902 N-D '65. (MIRA 18:12)

1. Odesskiy universitet imeni I.M. Mechnikova. Submitted September 24, 1964.

Timber-installing machine. Gor. zhur. no.10:75-76 0 '62.

(MIRA 15:10)

(Mine timbering—Equipment and supplies)

(Automatic control)

AUTHORS:

Ablor, A. T. Konunera, Iz. B.

307, 78-3-8-48, 48

TITLE:

Conference on the Chemistry of Heteropolyacids (Soveshohaniye

po khimii geteropolikislot)

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1958, Vol. 3, Nr 8, pp. 1989-

1989 (USSR)

ABSTRACT:

On December 13, 1957 a conference on the chemistry of heteropolyacids took place at Kishinev. Five reports were given at this conference. In the report by A. I. Kokorina the trihetero-

polyacids were dealt with, especially the basicity, the

oxidizeability and reductivity, as well as the reaction of the triheteropolyacids with cations and some organic compounds. From the report by N. A. Polotebnova may be seen that not only the central atom but also addends are of importance for the basicity of heteropolyacids. In the lecture delivered by A. N. Kovadlo the technology of the structure of isopolyacids and heteropolyacids were dealt with on the basis of the classical theory of valence. To determine the chemica individuality of the tri- and tetraheteropolyacids A. V. Ablov and Ts. B.

Card 1/2

Konunova employed paper chromatography. The x-ray analysis was

507/78-3-8-48/48

Conference on the Chemistry of Heteropolyacids

used for explaining the structure of heteropolyacids. The conference decided upon a far reaching employment of physical and chemical methods being necessary for investigating the heteropolyacids and explaining their structure.

Card 2/2

USCOMM-DC-61019

AUTHORS:

Ablov, A. V., Konunova, Ts. B.

SOV/78-3-9-38/38

TITLE:

Conference on the Polarographic Method of Analysis (Soveshchaniye

po polyarograficheskomu metodu analiza)

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1958, Vol 3, Nr 9, pp 2221-2222

(USSR)

ABSTRACT:

A conference on the polarographic method of analysis took place from January 21 to 23, 1958, in which the Moldavskiy filial AN SSSR (Moldavan Branch, AS USSR), the Khimicheskiy fakulitet Kishinevskogo gosudarstvennogo universiteta (Department of Chemistry, Kishinev State University) and the Kishinevskoye otdeleniye Vsesoyuznogo khimicheskogo obshchestva im. B. I. Mendeleyeva (Department of the All-Union Chemical Association imeni D. I. Mendeleyev - Kishinev) participated. Also scientific

D. I. Mendeleyev - Kishinev) participated. Also scientific cooperators from Kishinev, Moscow and Dnepropetrovsk took part in the conference. Eighteen reports were delivered. Sinyakova, S. I. - Institut geokhimii i analiticheskoy khimii AN SSSR im. V. I. Vernadskogo - Moskva (Institute of Geochemistry and Analytic Chemistry, AS USSR imeni V. I. Vernadskiy - Moscow)

Card 1/4

made a report on the use of catalytic current for the polarographic determination of molybdenum and other metals. Lyalikov,

sov/78-3-9-38/38

Conference on the Polarographic Method of Analysis

Yu. S. - Kishinevskiy universitet (Kishinev University) reported on the characteristics of polarographic waves. Numerous reports were submitted on the formation of complexes in solutions. Tur'yan, Ya. I. - Kishinevskiy universitet (Kishinev University) has computed the stability constant of the halogen and rhodanite complexes of cadmium by polarographic determination. The report of Migal, , P. K. and Pushnyaks, A. N. (Kishinev University) describes the polarographic analyses of ethanol amine complexes of cadmium, copper, lead and zinc. Gabovich, A. A. and Gabovich, A. M. - Kishinevskiy sel'skokhozyastvennyy institut (Kishinev Institute of Agriculture) determined manganese, zinc, cobalt, nickel and chromium by oscillographic polarography. Also the determination of thallium in solutions in the presence of cobalt and manganese was discussed. Bobrinskiy, M. B. -Moldavskiy filial AN SSSR (Moldavlan Branch, AS USSR) - examined the metallic precipitate obtained on the solid electrode in the polarographic determination by means of an electronic microscope. Bardin, M. B. (Kishinev University) suggests the use of rotating disc-shaped electrodes with a small surface in polarc. graphy. Usatenko, Yu. S. and Vitkina, M. A. - Dnepropetrovskiy khimiko-tekhnologicheskiy institut (Dnepropetrovsk Institute of

Card 2/4

sov/78-3-9-38/38

Conference on the Polarographic Method of Analysis

Chemical Technology) - reported on the polarographic titration by sodium diethyl dithiocarbamate. Reznik, V. I. and Danilenko, Ye. F. - Dnepropetrovskiy universitet (Dnepropetrovsk University) made a report on the ammetric titration of zinc in various samples. Pshenitsyn, N. A., Yezerskaya, N. A. and Ratnikova, V. O. - Institut obshchey i neorganicheskoy khimii AN SSSR - Moskva (Institute of General and Inorganic Chemistry, AS USSR - Moscow) - reported on the polarographic determination of iridium-(IV) from $H_2[IrCl_6]$ by means of rotating platinum electrodes. The authors also described an ammetric titration of small quantities of iridium with hydroquinone and ascorbic acid. Temyanko, V. S. - Magnitogorskiy gornometallurgicheskiy institut (Magnitogorsk Institute of Mining and Metallurgy) reports on the use of solid electrodes for the polarographic determination of gold and platinum. Novik, R. M. (Moldavian Branch, AS USSR) reports on the polarographic and ammetric determination of the bromine ion in the melt. Lipis, B. V. -Moldavskiy institut sadovodstva, vinogradarstva i vinodeliya Moldavian Institute of Horticulture, Viticulture and Wine Production) determined oxygen and SO, in wine. Vayntraub, F. P. -

Card 3/4

Card 4/4

USCOMM-DC-60.780

TO THE PARTY OF TH

Facilities.

iokandicandabilisi y

5(4) AUTHORS:

Ablov, A. V., Konunova Frid, Ts. B. Sey/78-4-3-15/34

TITLE:

Investigation of Heteropolyacids by the Method of Paper-chromatography(Issledovaniye geteropolikislot metodom

bumazhnoy khromatografii)

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1959, Vol 4, Nr 3,

pp 578-584 (USSR)

ABSTRACT:

The chemical properties of the mixed tri- and tetraheteropolyacids consisting of metallic acids of molybdenum-tungsten, molybdenum-vanadium, and tungsten-vanadium with phosphorus and silicon central atoms were investigated by the method of paper-chromatography. The comparative investigations were carried out with di-, tri-, and tetraheteropolyacids. For the chromatographical investigation a 0.01 m solution of heteropolyacid in 2 n H₂SO₄ was used. From the investigations it

may be concluded that phosphomolybdotungstic acid is an individual chemical compound. Similar investigations were carried out with silico-diheteropolyacid and silicomolybdotungstic acid. The chromatograms show that silicomolybdotungstic acid is also an individual chemical compound.

Card 1/3

-vanadium acid (H₄SiO₄.10MoO₃.V₂O₅.nH₂O), silico-10-tungsto-2--vanadium acid (H₄SiO₄.10WO₃.V₂O₅.nH₂O). From the results it may be concluded that the method for determining the

APPROVED FOR RECEASE dig 19/2000 ids CTA REPSS: 00513R000824420010 heteropolyacids is well suited and that vanadium-containing triheteropolyacids are individual chemical compounds.

Investigation of Heteropolyacids by the Method of Paper-chromatography

SOV/78-4-3-15/34

Then, by chromatographical analyses the existence of the tetraheteropolyacid, phosphorus-6-molybdenum-4-tungsten-2--vanadium acid was determined. The stability of various heteropolyacids was investigated by the reduction of the hydrogen concentrations. The phosphorus-molybdenum complex is the most unstable one. The mixed phosphorus molybdotungstic acids are unstable in the presence of ammonia and decompose to phosphorus molybdate and phosphorus tungstate ions. Among all heteropolyacids the vanadium-containing triheteropolyacids are the most stable ones. R_r values of the acids investigated

are collected on tables. The method of paper-chromatography is recommended for the determination of the purity of mixed heteropolyacids. There are 3 figures, 1 table, and 19 references, 9 of which are Soviet.

ASSOCIATION:

Kishinevskiy gosudarstvennyy universitet (Kishinev State

University)

SUBMITTED:

June 4, 1957

Card 3/3

CIA-RDP86-00513R000824420010-0

S/078/60/005/007/032/043/XX B004/B060

AUTHORS:

Ablov, A. V., Konunova-Frid, Ts. B., Palkin, V. A.

TITLE:

Heats of Addition of Aniline and Its Derivatives to Cobalt

Chloride

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1960, Vol. 5, No. 7,

pp. 1544-1550

TEXT: The authors study the problem as to whether the addition of amines, aniline, and aniline derivatives to CoCl₂ has a covalent or a dipole-ionic

character. The latter assumption leads to a contradiction since p-chloro aniline with a distinct pole concentrated on the chlorine atom does not add with it but, like aniline, with the nitrogen atom. To clarify this problem, the authors determined calorimetrically the heats of addition of aniline, p-toluidine, p-chloro aniline, and p-bromo aniline, to anhydrous CoCl₂ at



25°C in 2 N hydrochloric acid. They started from the following cyclic process:

Card 1/5

temperature and the given state of the amine, L the solution heat of the addition products, L ₁ the solution heat of CcCl ₂ , and L ₂ the solution heat of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ ·2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CI, and 9.71 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ Br. In order	Heats of Addition of Aniline and Derivatives to Cobalt Chloride	Its	S/078/60/005/007/032/043/XX B004/B060					
[CoCl ₂ .2 amine] L CoCl ₂ , 2 amine solut. solut. Q* denotes the formation heat of the addition products at the experimental temperature and the given state of the amine, L the solution heat of the addition products, L ₁ the solution heat of CoCl ₂ , and L ₂ the solution heat of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ .2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ Cl, and 9.71 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ Br. In order	CoCl ₂ , 2 [{amine}]	L ₁	£ *- "-					
[CoCl ₂ ·2 amine] L CoCl ₂ , 2 amine solut. solut. Q* denotes the formation heat of the addition products at the experimental temperature and the given state of the amine, L the solution heat of the addition products, L ₁ the solution heat of CoCl ₂ , and L' ₂ the solution heat of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ ·2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ ·2p-H ₂ NC ₆ H ₄ CH ₃ . In order			solution					
solut. solut. Q* denotes the formation heat of the addition products at the experimental temperature and the given state of the amine, L the solution heat of the addition products, L ₁ the solution heat of CoCl ₂ , and L' ₂ the solution heat of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ .2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ . In order	Q*		L' ₂					
denotes the formation heat of the addition products at the experimental temperature and the given state of the amine, L the solution heat of the addition products, L ₁ the solution heat of CoCl ₂ , and L ₂ the solution heat of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ .2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CI, and 9.71 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ Br. In order	[CoCl ₂ .2 amine]	L	CoCl ₂ , 2 amine	V				
of the amine. The calorimeter used is described in a paper by I. I. Chernyayev, V. A. Sokolov, and V. A. Palkin (Refs. 11, 12). Q* was calculated from the experimental data as being 18.66 kcal/mole for CoCl ₂ .2H ₂ NC ₆ H ₅ , 12.40 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ CH ₃ , 9.36 kcal/mole for CoCl ₂ .2p-H ₂ NC ₆ H ₄ Br. In order	Q* denotes the formation heat of the addition products at the experimental temperature and the given state of the amine, L the solution heat of the							
	of the amine. The calorimeter use Chernyayev, V. A. Sokolov, and V. calculated from the experimental	ed is describe • A. Palkin (l data as bein	ed in a paper by I. I. Refs. 11, 12). Q† was g 18.66 kcal/mole for	r				
Card 2/5	$CoCl_2.2p-H_2NC_6H_4Cl$, and 9.71 kca	l/mole for Cot	Cl ₂ .2p-H ₂ NC ₆ H ₄ Br. In order					
	Card 2/5		·					
	. ,							
		<u> </u>						

CIA-RDP86-00513R000824420010-0

Heats of Addition of Aniline and Its Derivatives to Cobalt, Chloride S/078/60/005/007/032/043/XX B004/B060

to obtain comparable data, the approximate values of the heats of addition of gaseous amines on entering into the enlarged lattice of CoCl_2 were calculated on the basis of the respective cyclic process. $A = Q_{gas}^* + \left(S_{CoCl_2} - S_{CoCl_2} \text{amine} \right), \text{ where S denotes the sublimation heats on the assumption that no dissociation takes place. A is the addition energy. The value of <math>S_{CoCl_2} - S_{CoCl_2}$ amine is defined as being the work required for the expansion of the layered lattice of CoCl_2 to the molecular.

lattice of the addition product. The authors observe that this notion must not be mixed up with the "expansion work" of an ionic lattice according to W. Biltz (Ref. 7). Table 2 gives the parameters of the elementary cell in kX, the angle 3, the volume V of the elementary cell in A, the number n of formula units situated in the elementary cell, and the volume V' of the formula unit. Table 2:

Card $\frac{3}{5}$

Heats of Addition of Aniline and Its Derivatives to Cobalt Chloride

S/078/60/005/007/032/043/XX B004/B060

	periods		v.¢.		V'A3		
-compound	a	ь	C .	В	' Α'	n	. A.
1 CoCl ₃ -2n-H ₃ NC ₄ H ₄ CH ₄ 2 CoCl ₂ -2n-H ₃ NC ₄ H ₄ J 3 CoJ ₂ -2g-H ₂ NC ₄ H ₄ 4 CoJ ₂ -2n-H ₃ NC ₄ H ₄ CH ₄	12,30±0,05 12,00 13,75 16,75	4,59±0,01 4,66 5,15 5,08	26,10±0,1 31,4 23,8 41,2	93°45±5 93°18 94°45 90°,00	1474 1758 1660 3500	4	363,5 439,5 415,0 437,5

In accordance with Ref. 16, a volume of 141 Å is assumed for the formula unit. Q_{gas} is calculated from the equation Q_{gas} = Q[†] + 2L_m + 2L_{ev} (L_m = melting heat, L_{ev} = evaporation heat of the amine at 25°C). Table 3 gives the boiling point, melting point, melting and evaporation heats of C₆H₅NH₂, p-H₂NC₆H₄CH₃, and p-H₂NC₆H₄Cl. Part of these data were taken from literature, and part were calculated according to Nernst (Ref. 24). After correcting these data for the temperature of 25°C, the authors obtain the following values for Q_{gas}^{*}: CoCl₂2C₆H₅NH₂ 43.2 kcal/mole; CoCl₂.2p-H₂NC₆H₄CH₃ 45.9 kcal/mole; CoCl₂2p-H₂NC₆H₄Cl 45.2 kcal/mole; Card 4/5

CIA-RDP86-00513R000824420010-0

Heats of Addition of Amiline and Its Derivatives to Cobalt Chloride

\$/078/60/005/007/032/043/XX B004/B060

CoCl22p-H2NC6H4Br 44.8 kcal/mole. The substituents on the benzene ring, thus, have little effect on the value of Q_{gas}^{τ} . The Co-N bond of these addition products is not dependent on the dipole moment of the addendum, and therefore probably has a covalent character. A paper by T. I. Malinovskiy is mentioned. There are 3 tables and 25 references: 16 Soviet, 2 US, 2 British, and 5 German.

ASSOCIATION: Kishinevskiy gosudars tvennyy universitet (Kishinev State University). Institut obshchey i neorganicheskoy khimii im. N. S. Kurnakova Akademii nauk SSSR (Institute of General and Inorganic Chemistry imeni N. S. Kurnakov of the Academy of Sciences USSR)

SUBMITTED:

March 16, 1959

Card 5/5

ABLOV, A.V.; KONUNOVA, TS.B.

Conference on the Chemistry of Complex Compounds of Cobalt and Nickel. Zhur.neorg.khim. 6 no.5:1256-1258 My '61.

(Cobalt compounds) (Nickel compounds)

(MIRA 14:4)

L 17009-63 RM/WW/JD/JW/HW EPF(c)/EWP(q)/EWT(m)/BDS

AFFTC/ASD/ESD-3 Pr-4 S/078/63/008/005/009/021

AUTHOR:

Ablov, A. V. and Konunova, Ts. B.

TITLE:

Heats of formation of aniline and its derivatives in union

with cobalt halides

PERIODICAL:

Zhurnal neorganicheskoy khimii, v. VIII. No. 5, May 1963.


1122-1130

TEXT: With use of an isothermic calorimeter and thermistor the authors determined the heats of solution of non-aqueous chloride, bromides and iodides of cobalt, aniline and its substitutions in a benzone nucleus, and also products of the combination of aromatic amines with cobalt halides in 2N HCl at 25°. They also determined the heats of fusion of several aromatic amines by the cryoscopic method. From these data they computed the heats of formation of two moles of gaseous amines in union with nonaqueous crystalline cobalt halides; these quantities are essentially independent of the character of the replacement in the benzene nucleus.

The results obtained support the covalent character of the Co - N bond in the resulting products studied.

Card 1/2

Card 2/2



KONUNOVA, TS.B.; POPOV, M.S.

Extraction of zirconium with fatty acids. Uch.zap.Kish.un.
68:94-96 '63 [cover '64].

(MIRA 18:12)

CIA-RDP86-00513R000824420010-0

KONUPULK, JANUSLAV

Mechanisace zemedelstvi. Jaroslav Komupcik a Zdenek Steffl. Zvyd. 1.7 Praha, Statni pedagogicke nakl., 1952. (Ucebni texty vysokych ekol) Zwechanization of agriculture." Vol. 1. A review of general mechanical engineering; motors and tractors. Illus., bibl., diagrs.

East European
SO: Monthly List of EMMINIM/Accessions, Vol. 3, No. 2, Library of Congress, February, 1954,
Uncl.

KONUPCIK, J.; PANES, V.

Results and experiences gained from competition in plowing. p. 247.

MECHANISACE ZEMEDELSTVI. Praha, Czecheslevakia. Vol. 9, no. 11, Nov. 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 1, January 1960. Uncl.

CIA-RDP86-00513R000824420010-0

E-3

KONUPCIK, MI

CZECHOSLOVIKIA / Analytical Chomistry. Analysis of Organic Substances.

Abs Jour : Ref Zhur - Khim., No 15, 1968, No 50061

Author : Manousok, Osvald; Konupcik, Milan; Davidok, Jiri,

souracil in Industrial Samples.

Orig Pub : Coskosl. farmac., 1957, 6, No. 10, 593-594.

ibstract: The polarographic curves of 1,3-dimethyl-4-amine-5-nitresouracil (I) have one wave in an acid medium as well as in an alkaline. At pH of 6.70, E = -0.44 v; at pH less than 4, a sharp maximum is observed. The height of the wave does not depend on pH in phosphate buffer solutions (II) at pH of 6.1-8.2. For the quantitative determination, 0.040 g. of I is dissolved in 100 ml. of water and 10 ml.

Card 1/2

KUPCIK, F.; KONUPCIK, M.; LISKA, M.

Polarographic determination of 5-nitrofuraldiacetate. Cesk. farm. 11 no.2:67-69 F '62.

1. Odbor technicke kontroly n.p. Farmakon, Olomouc.
(NITROFURANS chem) (CHEMISTRY ANALYTICAL)

KONUPCIK, M.: ZAVODNY, R.; LISKA, M.; Department of Technical Control of Farmakon, National Enterprise Coddeleni Technicke Kontroly n.p. Farmakon /, Olomouc.

"POPEROYED FOR RELEASE: 0691972500 yl-3-nitro-k-methoxymethyl-5-cyanopyridone and 2-Methyl-3-nitro-k-methoxyme6h90513R000824420010 chloropyridine."

Prague, Ceskoslovenska Farmacie, Vol 12, No 8, 1963, pp 388-390

Abstract: The authors present a method for determination of the two compounds montioned. It is useful in the production of pyridoxol where the compounds are used as intermediate products. The polarography is carried out in a medium of 0.1 N sulphuric acid. 2-methyl-3-nitro-\(\psi\)-methoxymethyl-5-cyanopyridone is reduced not the dropping Hg electrode in a wave corresponding to 6-electro-nic reduction, at a half-wave potential -0.26V. 2-Methyl-3-nitro-nic reduction, at a half-wave potential -0.26V. 2-Methyl-3-nitro-nic reduction, half-wave potential -0.11V, 2nd 2-electronic first \(\psi\)-electronic, half-wave potential -0.11V, half-wave potential -0.9\(\psi\)V. The waves have a diffuse character and are suitable for analytical evaluations.

2 Figures, 2 Western, 2 Czech references.

PHASE I BOOK EXPLOITATION

CZECH/3658

Konupka, Frantisek, Engineer

Biologicka valka (Biological Warfare) Prague, Mase Vojsko, 1958. 171 p. (Series: Velka vojenska knihovna, sv. 77) 8,000 copies printed.

Reviewer and Special Arranger: Jiri Movotny, Doctor of Medicine and Miloslav Buzek, Major; Resp. Ed.: Arnost Burget.

PURPOSE: The book is addressed to the general reader.

COVERAGE: This is a popular presentation of the use of biological agents and defense against them in biological warfare. The implications of biological aggression are discussed and anti-American propaganda is a feature of the book. No personalities are mentioned. There are 73 references: 29 Czechoslovak, 22 English, 9 German, 8 Russian, and 3 others.

TABLE OF CONTENTS:

Introduction

Card 1/4

Biological Warfara	11
. Biological Warfare Has Arrived on the Historical Scene	11
	14
Generals or restilences?	16
Microbiology in the service of war	21
	
Peace or pestilences? Piclogical warfare agents as a means of imperialist aggression Biological warfare agents as a means of imperialist aggression	31
Biological variars agents	31 36
1. 以入外)人 智姓氏 土土 .	•
Peace opposes pestilence	42
II. Biological Warfare and Biological Agents	
II. Biological walland	42
Biological or bactariological war ?	43 48 50
The nature of microbes	48
and man and man	50
The power of microbes in the role of soldiers in biological	
The power of microbes Insects, mice and rate in the role of soldiers in biological	52
	58 60
Thomas harvests or face nunger	60
Increase harvests or face hunger Increase harvests or face hunger biological warfare agent Complexity of choosing the proper biological warfare agents	66
Complexity of choosing the proper biological warfare agents Types of pastilences produced by biological warfare	
Types as Francisco	
Card 2/4	

Dangerous economy	81
III. Application of Biological Weapons	88
War against living organisms	88 03 12
IV. Defense Against Biological Weapons	15
Health services of a country and their function in antibiological	15 17
Timely recognition of danger is the best guarantee for successful defense	20
Protection of plants and animals	27 37 48 53 57 61

KONURBAYEV, A.O.

KYDYNOV. M.. nauchnyy setrudnik; BATYRCHAYEV, I.; LOPINA-SHENDRIK, M.D.;

KALBAYEV, A.; IMANAKUNOV, B.; SULAYMANKULOV, K., kand.khim.nauk;

DUYSHENALIYEVA, H.; AKBAYEV, A.; KAZIYEV, K.; GOLOVIN, F.I.;

BAKASOVA, Z.; KOVALENOK, Z.P.; SHELUKHINA, N.P.; BUGUBAYEV, A.B.,

starshiy prepodavatel'; BAYBULATOV, E.B., mladshiy nauchnyy

setrudnik; FILIPPOV, N.A., mladshiy nauchnyy setrudnik; MAMBETA
KUNOV, T., aspirant; IMANKULOV, A., aspirant; TURMANBETOV, S.,

mladshiy nauchnyy setrudnik; MUKHAMEDZIYEV, M.M., nauchnyy setrudnik;

KONURBAYEV, A.O.; PAK, L.V.; HUDAKOV, O.L.; TOKTOSUNOV, A.;

KULAKOVA, R.I.; ASHIRAKHMANOV, Sh., aspirant; ALYSHBAYEV, B.;

SULTANALIYEV, A.; AKHMETOV, K.; POLONOVA, A.P.; NIKITINSKIY, YU.I.;

SHAMBETOV, S.Sh.; DZHUMBAYEV, B.C., nsuchnyy setrudnik; DHUZHIMIM,

I.G., red.; ANOKHIMA, N.G., tekhn.red.

[Papers by junior scientists of the Academy of Sciences of the Kirghiz S.S.R.] Trudy molodykh nauchnykh rabotnikov AN Kirgisskoi SSR. Frunze, 1958. 411 p.

(Centinued on next card)

KYDYNOV, M.---(continued) Card 2.

1. Akademiya nauk Kirgizekey SSR. Frunze. 2. Institut khimii AN

Kirg.SSR (fer Kydynov). 3. Kirgizekiy gesudaretvennyy universitet

(for Bugubayev). 4. Institut geolegii AN Kirg.SSR (fer Baybulatov).

5. Institut vednogo khozyaystva i energetiki AN Kirg.SSR (for

Filippev). 6. Otdel fiziki i matematiki AN Kirg.SSR (for Mambetakunov,

Imsnkulev). 7. Institut zeolegii i parazitologii AN Kirg.SSR (for


Turmambetov). 8. Kirgizekiy meditainskiy institut (for Mukhamedziyev).


9. Otdel pechvovedeniya AN Kirg.SSR (Ashirakhmanov). 10. Institut

betaniki AN Kirg.SSR (for Alyshbayev, Sultanaliyev, Akhmetov, Pelenova,

Nikitinskiy). 11. Institut istorii AN Kirg.SSR (for Dzhumbayev).

(Science--Collections)





TURDAKOV, F.A.; KONURBAYEV, A.O.

Observations on the spawning of Leuciscus bergi Kaschkarov in Cholponata Bay (1959). Izv. AN Kir. SSR. Ser. biol. mauk 3 no.1:
(NIRA 14:12)

(ISSYK-KUL'--CARP)

(ISSYK-KUL'--CARP)

Editing midges (Diptera, Heleidae) of the Issykkul' Depression in Kirghizia. Ent. obox. 44 no.1:132-140 '65.

("TRA 18:7)

1. Kirgizskiy gosudarstvennyy universitet, g. Frunce.

ZHERTOVSKIY, A.H., elektromekhanik; KORURIH, I.M., starshiy elektromekhanik; VOROB'YEV, A.H.; GORODETSKIY, H.P., elektromekhanik

Efficiency experts suggest. Avton., telem. i svias 4 no.1:32-33 Ja '60. (MIRA 13:4)

1. Kremenchugekaya distantsiya signalizatsii i svyasi Tushnoy dorogi (for Zhertovskiy). 2. Karoslavskaya distantsiya signalizatsii i svyasi Severnoy dorogi (for Konurin). 3. Starshiy inshener Moskovsko-Okrushnoy distantsii signalizatsii i svyasi Moskovskoy dorogi (for Vorob'yev). 4. Krasnoarmeyskaya distantsiya signalizatsii i svyasi Donetskoy dorogi (for Gorodetskiy). (Railroads----Electronic equipment) (Radio---Repair)

KONUROV, I. G.

Quitch Grass

Biology of quack grass (Agropyrum repens L.). Dokl. Akad. sel'khoz. 18, No. 2, 1953.

Monthly List of Russian Accessions, Library of Congress, June 1953. Uncl.

CIA-RDP86-00513R000824420010-0

KONUROV

USSR/Cultivated Plants. Commercial. Oil-Bearing. Sugars.

Abs Jour: Ref Zhur-Biol., No 5, 1958, 20412.

Author : S.G. Konurov

: Stalingrad Agricultural Institute

: The Agrotechny and Variety Testing of Sunflowers Grown Inst Title

with Irrigation on the Light Chestnut Soil of Stalingradskaya Oblast'. (Agrotekhnika i sortoispytaniye podsolnechnika pri oroshenii na svetlo-kashtanovykh pochvakh Staling-

radskoy oblasti).

Orig Pub: Tr. Stalingr. s.-kh. in-ta, 1955, 6, 57-75.

Abstract: It has been established that the square cluster is the

best method of planting, where the plants are best supplied with adequate water through moisture. With square-cluster sowing the sunflower seed harvest yielded 27.7 centners per hectare, compared to 19.6 with strip cropping. The

: 1/2 Card

> CIA-RDP86-00513R000824420010-0" APPROVED FOR RELEASE: 06/19/2000

The 80th birthday of Professor G.M. Tumin and the 45th anniversally of his scientific, pedagogic and creative work. Pochvovedente no.10;110-111 0 156.

(Tumin, Grigorii Mikhailevich, 1876)

APPROVED FOR RELEASE: 06/19/2000 CIA-RDP86-00513R000824420010-0"

PADOV. A.S.; SHUBIN. G.A.; TOPILIN. Ye.K.; BEGUCHEV, P.P.; GUDKOV, A.N.;

VEDENTAPIN, G.Ye.; SHUBIN. V.P.; RASKHODOV, G.F.; MAZAKWICH, L.I.;

IVASHCHENKO, P.S.; KONUROV, S.G.: ACAFOV, P.F.; IVANOV, A.F.

Grigorii Mikhailovich Tumin; 1876-1957. Pochvovedenie no.11:

103 N '58.

(Tumin, Grigorii Mikhailovich, 1876-1957)

